Application Serial No. 10/760,443 Attorney Docket No. 2001-IP-005267U1P1

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

1-76. (Canceled)

77. (Currently Amended) A method of acidizing a subterranean formation penetrated by a well bore comprising:

providing a permeability-modifying aqueous treatment fluid comprising

a relative permeability modifier comprising an uncrosslinked hydrophobically modified water-soluble polymer that has a molecular weight in the range of about 100,000 to about 10,000,000 and comprises a polymer backbone and a hydrophobic branch, the polymer backbone comprising polar heteroatoms, the hydrophobic branch comprising an alkyl chain of about 4 to about 22 carbons within the polymer backbone, wherein the uncrosslinked hydrophobically modified water-soluble polymer reduces the permeability of the subterranean formation to an aqueous-based fluid;

providing an acidizing treatment fluid;

injecting the permeability-modifying aqueous treatment fluid into the subterranean formation; and

injecting the acidizing treatment fluid into the subterranean formation.

- 78. (Original) The method of claim 77 wherein the permeability-modifying aqueous treatment fluid further comprises an aqueous-based fluid.
- 79. (Currently Amended) The method of claim 77 wherein the relative permeability modifier reduces the permeability of <u>a the treated</u>-zone of the subterranean formation to aqueous-based fluids, thereby diverting the acidizing treatment fluid to <u>an</u>other zone[[s]] of the subterranean formation.
 - 80. (Canceled)
- 81. (Currently Amended) The method of claim 77 wherein the polar heteroatoms present within the polymer backbone of the <u>uncrosslinked</u> hydrophobically modified water-soluble polymer <u>comprise at least one heteroatom</u> are-selected from the group consisting of: oxygen, nitrogen, sulfur, and phosphorous.
- 82. (Currently Amended) The method of claim 77 wherein the <u>uncrosslinked</u> hydrophobically modified water-soluble polymer is present in the permeability-modifying